

BRS	L1	2375	migrat\$3 near10 computer	US-PGPUB; USPAT	2007/12/12 09:24
BRS	L2	80300	comput\$3 near5 (environment personality)	US-PGPUB; USPAT	2007/12/12 09:25
BRS	L3	306	1 same 2	US-PGPUB; USPAT	2007/12/12 09:25
BRS	L4	2518735	setting\$1 configuration	US-PGPUB; USPAT	2007/12/12 10:32
BRS	L5	274	3 and 4	US-PGPUB; USPAT	2007/12/12 09:26
BRS	L6	4901	713/1.ccls. 713/2.ccls. 713/100.ccls.	US-PGPUB; USPAT	2007/12/12 09:31
BRS	L7	10	5 and 6	US-PGPUB; USPAT	2007/12/12 10:16
BRS	L8	1694	717/168.ccls. 717/174.ccls.	US-PGPUB; USPAT	2007/12/12 10:17
BRS	L9	8	5 and 8	US-PGPUB; USPAT	2007/12/12 10:17
BRS	L10	6	9 not 7	US-PGPUB; USPAT	2007/12/12 10:21
BRS	L11	7640	source adj comput\$3	US-PGPUB; USPAT	2007/12/12 10:23
BRS	L12	3844	target adj comput\$3	US-PGPUB; USPAT	2007/12/12 10:23
BRS	L13	256	11 same 12	US-PGPUB; USPAT	2007/12/12 10:24
BRS	L14	200	4 and 13	US-PGPUB; USPAT	2007/12/12 10:28
BRS	L15	47	1 and 14	US-PGPUB; USPAT	2007/12/12 10:28
BRS	L16	613952	(setting\$1 configuration) same (location name value format)	US-PGPUB; USPAT	2007/12/12 10:33
BRS	L17	39	15 and 16	US-PGPUB; USPAT	2007/12/12 11:07
BRS	L18	11149	extract\$3 near5 (configuration setting)	US-PGPUB; USPAT	2007/12/12 11:08
BRS	L19	106476	select\$3 near3 (configuration setting)	US-PGPUB; USPAT	2007/12/12 11:08
BRS	L20	7572	manipulat\$3 near3 (configuration setting)	US-PGPUB; USPAT	2007/12/12 11:09
BRS	L21	17272	calculat\$3 near3 (configuration setting)	US-PGPUB; USPAT	2007/12/12 11:15
BRS	L22	24644	20 or 21	US-PGPUB; USPAT	2007/12/12 11:15
BRS	L23	250	18 and 19 and 22	US-PGPUB; USPAT	2007/12/12 11:16
BRS	L24	2	14 and 23	US-PGPUB; USPAT	2007/12/12 11:16